

Bezeichnung	Artikelnummer	Lichtfarbe	Optik	Systemleistung	Lichtstromsystem	Farbe	Abmessungen
StoreLED S 3x3R 21-30-030 DALI	09213003005	3000 K	30°	19,4 W	3278 lm	schwarz	590x192x80mm
StoreLED S 3x3R 21-30-030 DALI	09213003006	3000 K	30°	19,4 W	3278 lm	weiß	590x192x80mm
StoreLED S 3x3R 21-30-030 DALI	09213003007	3000 K	30°	19,4 W	3278 lm	silber	590x192x80mm
StoreLED S 3x3R 21-35-030 DALI	09213503005	3500 K	30°	19,4 W	3426 lm	schwarz	590x192x80mm
StoreLED S 3x3R 21-35-030 DALI	09213503006	3500 K	30°	19,4 W	3426 lm	weiß	590x192x80mm
StoreLED S 3x3R 21-35-030 DALI	09213503007	3500 K	30°	19,4 W	3426 lm	silber	590x192x80mm
StoreLED S 3x3R 21-40-030 DALI	09214003005	4000 K	30°	19,4 W	3488 lm	schwarz	590x192x80mm
StoreLED S 3x3R 21-40-030 DALI	09214003006	4000 K	30°	19,4 W	3488 lm	weiß	590x192x80mm
StoreLED S 3x3R 21-40-030 DALI	09214003007	4000 K	30°	19,4 W	3488 lm	silber	590x192x80mm
StoreLED S 3x3R 21-50-030 DALI	09215003005	5000 K	30°	19,4 W	3488 lm	schwarz	590x192x80mm
StoreLED S 3x3R 21-50-030 DALI	09215003006	5000 K	30°	19,4 W	3488 lm	weiß	590x192x80mm
StoreLED S 3x3R 21-50-030 DALI	09215003007	5000 K	30°	19,4 W	3488 lm	silber	590x192x80mm
StoreLED S 3x3R 25-30-030 DALI	09253003005	3000 K	30°	22,9 W	3910 lm	schwarz	590x192x80mm
StoreLED S 3x3R 25-30-030 DALI	09253003006	3000 K	30°	22,9 W	3910 lm	weiß	590x192x80mm
StoreLED S 3x3R 25-30-030 DALI	09253003007	3000 K	30°	22,9 W	3910 lm	silber	590x192x80mm
StoreLED S 3x3R 25-35-030 DALI	09253503005	3500 K	30°	22,9 W	4092 lm	schwarz	590x192x80mm
StoreLED S 3x3R 25-35-030 DALI	09253503006	3500 K	30°	22,9 W	4092 lm	weiß	590x192x80mm
StoreLED S 3x3R 25-35-030 DALI	09253503007	3500 K	30°	22,9 W	4092 lm	silber	590x192x80mm
StoreLED S 3x3R 25-40-030 DALI	09254003005	4000 K	30°	22,9 W	4167 lm	schwarz	590x192x80mm
StoreLED S 3x3R 25-40-030 DALI	09254003006	4000 K	30°	22,9 W	4167 lm	weiß	590x192x80mm
StoreLED S 3x3R 25-40-030 DALI	09254003007	4000 K	30°	22,9 W	4167 lm	silber	590x192x80mm
StoreLED S 3x3R 25-50-030 DALI	09255003005	5000 K	30°	22,9 W	4167 lm	schwarz	590x192x80mm
StoreLED S 3x3R 25-50-030 DALI	09255003006	5000 K	30°	22,9 W	4167 lm	weiß	590x192x80mm
StoreLED S 3x3R 25-50-030 DALI	09255003007	5000 K	30°	22,9 W	4167 lm	silber	590x192x80mm
StoreLED S 3x3R 35-30-030 DALI	09353003005	3000 K	30°	33,7 W	5586 lm	schwarz	590x192x80mm
StoreLED S 3x3R 35-30-030 DALI	09353003006	3000 K	30°	33,7 W	5586 lm	weiß	590x192x80mm
StoreLED S 3x3R 35-30-030 DALI	09353003007	3000 K	30°	33,7 W	5586 lm	silber	590x192x80mm
StoreLED S 3x3R 35-35-030 DALI	09353503005	3500 K	30°	33,7 W	5835 lm	schwarz	590x192x80mm
StoreLED S 3x3R 35-35-030 DALI	09353503006	3500 K	30°	33,7 W	5835 lm	weiß	590x192x80mm
StoreLED S 3x3R 35-35-030 DALI	09353503007	3500 K	30°	33,7 W	5835 lm	silber	590x192x80mm
StoreLED S 3x3R 35-40-030 DALI	09354003005	4000 K	30°	33,7 W	5942 lm	schwarz	590x192x80mm
StoreLED S 3x3R 35-40-030 DALI	09354003006	4000 K	30°	33,7 W	5942 lm	weiß	590x192x80mm
StoreLED S 3x3R 35-40-030 DALI	09354003007	4000 K	30°	33,7 W	5942 lm	silber	590x192x80mm
StoreLED S 3x3R 35-50-030 DALI	09355003005	5000 K	30°	33,7 W	5942 lm	schwarz	590x192x80mm
StoreLED S 3x3R 35-50-030 DALI	09355003006	5000 K	30°	33,7 W	5942 lm	weiß	590x192x80mm
StoreLED S 3x3R 35-50-030 DALI	09355003007	5000 K	30°	33,7 W	5942 lm	silber	590x192x80mm
StoreLED S3x3R 40-30-030 DALI	09403003005	3000 K	30°	39,2 W	6341 lm	schwarz	590x192x80mm
StoreLED S3x3R 40-30-030 DALI	09403003006	3000 K	30°	39,2 W	6341 lm	weiß	590x192x80mm
StoreLED S3x3R 40-30-030 DALI	09403003007	3000 K	30°	39,2 W	6341 lm	silber	590x192x80mm
StoreLED S 3x3R 40-35-030 DALI	09403503005	3500 K	30°	39,2 W	6633 lm	schwarz	590x192x80mm
StoreLED S 3x3R 40-35-030 DALI	09403503006	3500 K	30°	39,2 W	6633 lm	weiß	590x192x80mm
StoreLED S 3x3R 40-35-030 DALI	09403503007	3500 K	30°	39,2 W	6633 lm	silber	590x192x80mm
StoreLED S 3x3R 40-40-030 DALI	09404003005	4000 K	30°	39,2 W	6755 lm	schwarz	590x192x80mm
StoreLED S 3x3R 40-40-030 DALI	09404003006	4000 K	30°	39,2 W	6755 lm	weiß	590x192x80mm

StoreLED S 3x3R 40-40-030 DALI	09404003007	4000 K	30°	39,2 W	6755 lm	silber	590x192x80mm
StoreLED S 3x3R 40-50-030 DALI	09405003005	5000 K	30°	39,2 W	6755 lm	schwarz	590x192x80mm
StoreLED S 3x3R 40-50-030 DALI	09405003006	5000 K	30°	39,2 W	6755 lm	weiß	590x192x80mm
StoreLED S 3x3R 40-50-030 DALI	09405003007	5000 K	30°	39,2 W	6755 lm	silber	590x192x80mm
StoreLED S3x3R 50-30-030 DALI	09503003005	3000 K	30°	49,5 W	7838 lm	schwarz	590x192x80mm
StoreLED S3x3R 50-30-030 DALI	09503003006	3000 K	30°	49,5 W	7838 lm	weiß	590x192x80mm
StoreLED S3x3R 50-30-030 DALI	09503003007	3000 K	30°	49,5 W	7838 lm	silber	590x192x80mm
StoreLED S 3x3R 50-35-030 DALI	09503503005	3500 K	30°	49,5 W	8200 lm	schwarz	590x192x80mm
StoreLED S 3x3R 50-35-030 DALI	09503503006	3500 K	30°	49,5 W	8200 lm	weiß	590x192x80mm
StoreLED S 3x3R 50-35-030 DALI	09503503007	3500 K	30°	49,5 W	8200 lm	silber	590x192x80mm
StoreLED S3x3R 50-40-030 DALI	09504003005	4000 K	30°	49,5 W	8351 lm	schwarz	590x192x80mm
StoreLED S3x3R 50-40-030 DALI	09504003006	4000 K	30°	49,5 W	8351 lm	weiß	590x192x80mm
StoreLED S3x3R 50-40-030 DALI	09504003007	4000 K	30°	49,5 W	8351 lm	silber	590x192x80mm
StoreLED S 3x3R 50-50-030 DALI	09505003005	5000 K	30°	49,5 W	8351 lm	schwarz	590x192x80mm
StoreLED S 3x3R 50-50-030 DALI	09505003006	5000 K	30°	49,5 W	8351 lm	weiß	590x192x80mm
StoreLED S 3x3R 50-50-030 DALI	09505003007	5000 K	30°	49,5 W	8351 lm	silber	590x192x80mm
StoreLED S 3x3R 70-30-030 DALI	09703003005	3000 K	30°	70,0 W	10787 lm	schwarz	590x192x80mm
StoreLED S 3x3R 70-30-030 DALI	09703003006	3000 K	30°	70,0 W	10787 lm	weiß	590x192x80mm
StoreLED S 3x3R 70-30-030 DALI	09703003007	3000 K	30°	70,0 W	10787 lm	silber	590x192x80mm
StoreLED S 3x3R 70-35-030 DALI	09703003005	3500 K	30°	70,0 W	11265 lm	schwarz	590x192x80mm
StoreLED S 3x3R 70-35-030 DALI	09703503006	3500 K	30°	70,0 W	11265 lm	weiß	590x192x80mm
StoreLED S 3x3R 70-35-030 DALI	09703503007	3500 K	30°	70,0 W	11265 lm	silber	590x192x80mm
StoreLED S 3x3R 70-40-030 DALI	09704003005	4000 K	30°	70,0 W	11471 lm	schwarz	590x192x80mm
StoreLED S 3x3R 70-40-030 DALI	09704003006	4000 K	30°	70,0 W	11471 lm	weiß	590x192x80mm
StoreLED S 3x3R 70-40-030 DALI	09704003007	4000 K	30°	70,0 W	11471 lm	silber	590x192x80mm
StoreLED S 3x3R 70-50-030 DALI	09705003005	5000 K	30°	70,0 W	11471 lm	schwarz	590x192x80mm
StoreLED S 3x3R 70-50-030 DALI	09705003006	5000 K	30°	70,0 W	11471 lm	weiß	590x192x80mm
StoreLED S 3x3R 70-50-030 DALI	09705003007	5000 K	30°	70,0 W	11471 lm	silber	590x192x80mm
StoreLED S 3x3R 21-30-060 DALI	09213003005	3000 K	60°	19,4 W	3278 lm	schwarz	590x192x80mm
StoreLED S 3x3R 21-30-060 DALI	09213003006	3000 K	60°	19,4 W	3278 lm	weiß	590x192x80mm
StoreLED S 3x3R 21-30-060 DALI	09213003007	3000 K	60°	19,4 W	3278 lm	silber	590x192x80mm
StoreLED S 3x3R 21-35-060 DALI	09213503005	3500 K	60°	19,4 W	3426 lm	schwarz	590x192x80mm
StoreLED S 3x3R 21-35-060 DALI	09213503006	3500 K	60°	19,4 W	3426 lm	weiß	590x192x80mm
StoreLED S 3x3R 21-35-060 DALI	09213503007	3500 K	60°	19,4 W	3426 lm	silber	590x192x80mm
StoreLED S 3x3R 21-40-060 DALI	09214003005	4000 K	60°	19,4 W	3488 lm	schwarz	590x192x80mm
StoreLED S 3x3R 21-40-060 DALI	09214003006	4000 K	60°	19,4 W	3488 lm	weiß	590x192x80mm
StoreLED S 3x3R 21-40-060 DALI	09214003007	4000 K	60°	19,4 W	3488 lm	silber	590x192x80mm
StoreLED S 3x3R 21-50-060 DALI	09215003005	5000 K	60°	19,4 W	3488 lm	schwarz	590x192x80mm
StoreLED S 3x3R 21-50-060 DALI	09215003006	5000 K	60°	19,4 W	3488 lm	weiß	590x192x80mm
StoreLED S 3x3R 21-50-060 DALI	09215003007	5000 K	60°	19,4 W	3488 lm	silber	590x192x80mm
StoreLED S 3x3R 25-30-060 DALI	09253003005	3000 K	60°	22,9 W	3910 lm	schwarz	590x192x80mm
StoreLED S 3x3R 25-30-060 DALI	09253003006	3000 K	60°	22,9 W	3910 lm	weiß	590x192x80mm
StoreLED S 3x3R 25-30-060 DALI	09253003007	3000 K	60°	22,9 W	3910 lm	silber	590x192x80mm
StoreLED S 3x3R 25-35-060 DALI	09253503005	3500 K	60°	22,9 W	4092 lm	schwarz	590x192x80mm
StoreLED S 3x3R 25-35-060 DALI	09253503006	3500 K	60°	22,9 W	4092 lm	weiß	590x192x80mm
StoreLED S 3x3R 25-35-060 DALI	09253503007	3500 K	60°	22,9 W	4092 lm	silber	590x192x80mm

StoreLED S 3x3R 25-40-060 DALI	09254003005	4000 K	60°	22,9 W	4167 lm	schwarz	590x192x80mm
StoreLED S 3x3R 25-40-060 DALI	09254003006	4000 K	60°	22,9 W	4167 lm	weiß	590x192x80mm
StoreLED S 3x3R 25-40-060 DALI	09254003007	4000 K	60°	22,9 W	4167 lm	silber	590x192x80mm
StoreLED S 3x3R 25-50-060 DALI	09255003005	5000 K	60°	22,9 W	4167 lm	schwarz	590x192x80mm
StoreLED S 3x3R 25-50-060 DALI	09255003006	5000 K	60°	22,9 W	4167 lm	weiß	590x192x80mm
StoreLED S 3x3R 25-50-060 DALI	09255003007	5000 K	60°	22,9 W	4167 lm	silber	590x192x80mm
StoreLED S 3x3R 35-30-060 DALI	09353003005	3000 K	60°	33,7 W	5586 lm	schwarz	590x192x80mm
StoreLED S 3x3R 35-30-060 DALI	09353003006	3000 K	60°	33,7 W	5586 lm	weiß	590x192x80mm
StoreLED S 3x3R 35-30-060 DALI	09353003007	3000 K	60°	33,7 W	5586 lm	silber	590x192x80mm
StoreLED S 3x3R 35-35-060 DALI	09353503005	3500 K	60°	33,7 W	5835 lm	schwarz	590x192x80mm
StoreLED S 3x3R 35-35-060 DALI	09353503006	3500 K	60°	33,7 W	5835 lm	weiß	590x192x80mm
StoreLED S 3x3R 35-35-060 DALI	09353503007	3500 K	60°	33,7 W	5835 lm	silber	590x192x80mm
StoreLED S 3x3R 35-40-060 DALI	09354003005	4000 K	60°	33,7 W	5942 lm	schwarz	590x192x80mm
StoreLED S 3x3R 35-40-060 DALI	09354003006	4000 K	60°	33,7 W	5942 lm	weiß	590x192x80mm
StoreLED S 3x3R 35-40-060 DALI	09354003007	4000 K	60°	33,7 W	5942 lm	silber	590x192x80mm
StoreLED S 3x3R 35-50-060 DALI	09355003005	5000 K	60°	33,7 W	5942 lm	schwarz	590x192x80mm
StoreLED S 3x3R 35-50-060 DALI	09355003006	5000 K	60°	33,7 W	5942 lm	weiß	590x192x80mm
StoreLED S 3x3R 35-50-060 DALI	09355003007	5000 K	60°	33,7 W	5942 lm	silber	590x192x80mm
StoreLED S3x3R 40-30-060 DALI	09403003005	3000 K	60°	39,2 W	6341 lm	schwarz	590x192x80mm
StoreLED S3x3R 40-30-060 DALI	09403003006	3000 K	60°	39,2 W	6341 lm	weiß	590x192x80mm
StoreLED S3x3R 40-30-060 DALI	09403003007	3000 K	60°	39,2 W	6341 lm	silber	590x192x80mm
StoreLED S 3x3R 40-35-060 DALI	09403503005	3500 K	60°	39,2 W	6633 lm	schwarz	590x192x80mm
StoreLED S 3x3R 40-35-060 DALI	09403503006	3500 K	60°	39,2 W	6633 lm	weiß	590x192x80mm
StoreLED S 3x3R 40-35-060 DALI	09403503007	3500 K	60°	39,2 W	6633 lm	silber	590x192x80mm
StoreLED S 3x3R 40-40-060 DALI	09404003005	4000 K	60°	39,2 W	6755 lm	schwarz	590x192x80mm
StoreLED S 3x3R 40-40-060 DALI	09404003006	4000 K	60°	39,2 W	6755 lm	weiß	590x192x80mm
StoreLED S 3x3R 40-40-060 DALI	09404003007	4000 K	60°	39,2 W	6755 lm	silber	590x192x80mm
StoreLED S 3x3R 40-50-060 DALI	09405003005	5000 K	60°	39,2 W	6755 lm	schwarz	590x192x80mm
StoreLED S 3x3R 40-50-060 DALI	09405003006	5000 K	60°	39,2 W	6755 lm	weiß	590x192x80mm
StoreLED S 3x3R 40-50-060 DALI	09405003007	5000 K	60°	39,2 W	6755 lm	silber	590x192x80mm
StoreLED S3x3R 50-30-060 DALI	09503003005	3000 K	60°	49,5 W	7838 lm	schwarz	590x192x80mm
StoreLED S3x3R 50-30-060 DALI	09503003006	3000 K	60°	49,5 W	7838 lm	weiß	590x192x80mm
StoreLED S3x3R 50-30-060 DALI	09503003007	3000 K	60°	49,5 W	7838 lm	silber	590x192x80mm
StoreLED S 3x3R 50-35-060 DALI	09503503005	3500 K	60°	49,5 W	8200 lm	schwarz	590x192x80mm
StoreLED S 3x3R 50-35-060 DALI	09503503006	3500 K	60°	49,5 W	8200 lm	weiß	590x192x80mm
StoreLED S 3x3R 50-35-060 DALI	09503503007	3500 K	60°	49,5 W	8200 lm	silber	590x192x80mm
StoreLED S3x3R 50-40-060 DALI	09504003005	4000 K	60°	49,5 W	8351 lm	schwarz	590x192x80mm
StoreLED S3x3R 50-40-060 DALI	09504003006	4000 K	60°	49,5 W	8351 lm	weiß	590x192x80mm
StoreLED S3x3R 50-40-060 DALI	09504003007	4000 K	60°	49,5 W	8351 lm	silber	590x192x80mm
StoreLED S 3x3R 50-50-060 DALI	09505003005	5000 K	60°	49,5 W	8351 lm	schwarz	590x192x80mm
StoreLED S 3x3R 50-50-060 DALI	09505003006	5000 K	60°	49,5 W	8351 lm	weiß	590x192x80mm
StoreLED S 3x3R 50-50-060 DALI	09505003007	5000 K	60°	49,5 W	8351 lm	silber	590x192x80mm
StoreLED S 3x3R 70-30-060 DALI	09703003005	3000 K	60°	70,0 W	10787 lm	schwarz	590x192x80mm
StoreLED S 3x3R 70-30-060 DALI	09703003006	3000 K	60°	70,0 W	10787 lm	weiß	590x192x80mm
StoreLED S 3x3R 70-30-060 DALI	09703003007	3000 K	60°	70,0 W	10787 lm	silber	590x192x80mm
StoreLED S 3x3R 70-35-060 DALI	09703003005	3500 K	60°	70,0 W	11265 lm	schwarz	590x192x80mm

StoreLED S 3x3R 70-35-060 DALI	09703503006	3500 K	60°	70,0 W	11265 lm	weiß	590x192x80mm
StoreLED S 3x3R 70-35-060 DALI	09703503007	3500 K	60°	70,0 W	11265 lm	silber	590x192x80mm
StoreLED S 3x3R 70-40-060 DALI	09704003005	4000 K	60°	70,0 W	11471 lm	schwarz	590x192x80mm
StoreLED S 3x3R 70-40-060 DALI	09704003006	4000 K	60°	70,0 W	11471 lm	weiß	590x192x80mm
StoreLED S 3x3R 70-40-060 DALI	09704003007	4000 K	60°	70,0 W	11471 lm	silber	590x192x80mm
StoreLED S 3x3R 70-50-060 DALI	09705003005	5000 K	60°	70,0 W	11471 lm	schwarz	590x192x80mm
StoreLED S 3x3R 70-50-060 DALI	09705003006	5000 K	60°	70,0 W	11471 lm	weiß	590x192x80mm
StoreLED S 3x3R 70-50-060 DALI	09705003007	5000 K	60°	70,0 W	11471 lm	silber	590x192x80mm